# **ENGINSOFT**

# Ansys medini analyze

Quality, Safety and Reliability Engineering

## **Main Features**

- Model-based and integrated toolset supporting hazard analysis, risk assessment, Hazard and Operability Studies (HAZOP), Fault Tree Analysis (FTA), Failure Mode and Effect Analysis (FMEA, FMEDA, FMECA), Reliability Block Diagrams (RBD) and reliability analysis.
- ✓ Safety analysis and design according to ISO 26262, IEC 61508, ARP4761, MIL-STD-882 etc., for safety related functions.
- Quality analysis for product design and related processes according to SAE J1739, AIAG & VDA FMEA, MIL-STD-1629A, etc.
- Integration of architectural/functional design models with quality, reliability and functional safety analysis methods.
- Capture and management of functional and technical safety requirements.
- Support of complete end-to-end traceability.
- ✓ Customizable work product/documentation generation.
- Teamwork with detailed compare and merge.
- Fully integrated with Ansys tools for embedded systems development, analysis and simulation – Ansys Sherlock.
- Integration with IBM Rational DOORS, PTC Integrity, Jama, Dassault Cameo Systems Modeler, Intland Codebeamer, Siemens Polarion, and others.

### Hazard Analysis and Risk Management

 Hazard and Operability Analysis (HAZOP) for determination of malfunctions/system failures.

30	1 1 10 10		2DAR	H 415 10 4-							E G Andysk () Por	
		unclinic-19.										
~	to Hanned	our Dents	for Electer	nic Steering Look							■ 17 • 6 8	
	po macore	ous creating	in contra	the other rig Com								1.0
-	a last										15 📡 A	. 4
	lootee	Foad Conditions	ten (tage	MaturdowyBearour	Hend	Patental Pleat	5			231	Safety fixed	٠
		1ery			2			U				
60	countyrand		great dring	<ul> <li>M<sup>2</sup>-M<sup>2</sup> Lindowsken not required</li> </ul>	+ Stawing blocked	conhists ofter vehicles or learning road	50	0	¢3		C [10-00] Plenett advation of meeting lock while driving AGE DI	
46	county rand	slippers (heres, ed ob)	general driving	O PATION Index when not applicate	· Desting	conductors when validate an landing read	8	Ð	C3		[30 00] Present activities of meeting lock while driving (405.0)	100
90	county road	paved wetweed	grea aling	o Minist Looks when not	· Sering	out/ots the vehicle or basing read	50	D	0		C [10:03] Peret attation of metralic batch dising 201.01	24
940	feesity (animal	10.01	greet bring	Mi-Milliods when not     making	· Sering	osphists contraction	58		<b>C3</b>		C 10-02 Peret advisor of Centrality Laboration	
510	Feetway (percent)	proved	presiding	o he-of   loca when not	· Steering	cash into statace, leaving icon	58	0	<b>C</b> 8		Chefrador white doing 251.0	10
054	county read	prod	-	O Ball-Still susants	· Sector	conficility of an enhicles or barring read	5	D	c	c	O 100-0021 Present addresses of the other strength and which always (ALLC)	
												-
	-										Cathori	
111	on O failure!	Ten + 162807	lev 1 theth	ew								
-	In all Shater	Carries II									A *	
	tel											
	nis Désing Ste	ators.										
	dapped											
. 12	in service and		-	10 10 10 10	2 2 3	na impa dita terffic considera i			-			
						na regala sy tearre considera j						
						na impact in traffic conditions I						
- 12	Stopet Ran	Bon org										
16	scalesting											
	general drive	2										

- Hazard Analysis and Risk Assessment (HARA) and Functional Hazard Assessment (FHA) connected to system models.
- Risk graph support according to ISO 26262, ARP 4754A and others.
- Operational situation analysis based on catalogs for consistent derivation of hazardous events/failure conditions.
- Matrix for easy combination of malfunctions and operational situations.
- Multiple views and customization options with user attributes and validation rules.
- Comprehensive traceability and connection to safety requirements.



# Requirement Analysis and Management

- Graphical and table editors for safety requirements.
- Visualization of requirement hierarchies and traceability using diagrams.



- Allocation of requirements to system architecture, HW and SW models and function models.
- Support for safety standard specific concepts (e.g., ASIL decomposition for ISO 26262).
- Validation rules to check compliance with safety standards and corporate rules.
- ✓ Import, export and round-trip from/to requirements management systems (e.g., IBM<sup>®</sup> Rational<sup>®</sup> DOORS<sup>®</sup>, IBM<sup>®</sup> Rational<sup>®</sup> DOORS<sup>®</sup> Next Generation, PTC Integrity, Jama, Intland Codebeamer, Siemens Polarion) including custom attribute mapping.
- ✓ Support for general requirements exchange via ReqIF/RIF




#### FOR INFORMATION:

EnginSoft | Alessandro Mellone a.mellone@enginsoft.com Tel. 0461 979 340 www.enginsoft.com

# Ansys medini analyze

#### System, Software and Hardware Modeling

- Graphical editor for SysML system models.
- Structural modeling of system architecture and design using blocks, parts, ports and connections.



- ✓ Function and process modeling using activities and actions, allocations to design (system/HW/SW).
- Dependency Editor to visualize and edit function nets, allocations and other relations.
- ✓ Specification of failure modes and failure rates for SysML elements.
- Block type and element libraries for re-use with semi-automatic update in case of changes.
- Computation, validation and visualization of safety integrity levels at system design.
- Import and round-trip of system design models from Ansys SCADE Architect, IBM<sup>®</sup> Rational<sup>®</sup> Rhapsody, Sparx Systems Enterprise Architect, Dassault Cameo Systems Modeler, IP Design (chip design).
- ✓ Import, update and visualization of MATLAB<sup>®</sup>/Simulink<sup>®</sup> and Stateflow<sup>®</sup> models.
- Traceability of system models to requirements and safety analysis such as HARA, FTA and FME(D)A.
- Automatic creation of FTA models from MATLAB<sup>®</sup>/Simulink<sup>®</sup> models using structural path analysis.

### **Reliability Engineering**

 Failure rate and failure mode prediction embedded in SysML design models for system and hardware components.

Model Browner 12 0	C I C ES. BOM based - ES. 31							aljok 🛈 Planni			
R R S S S S S	* Reliability			Eventer Ere	ure Rate Calculat	or Ofeiler	Moder	11 + di B			
type fiber bed.	Table Sites test						1 1 2	K C R I			
v 🔊 Part Library (Mission Profile)		Falues Rate Calculation 1									
> Capaciton > Capaciton > Calinducton > Carenegies	Component	Prediction	Percentage of Pavent	Mexico Profile	Rev Failure Res (FT)	Scaling Expression	Apply scaling to children	falue firs (			
v De Diodes	H DI CAN Transpiller										
> Prestated prope	- 0 [100, 5104, 55] 87 RESISTOR	#C62580		(Randard Interior & Budy Meunted )-61, 23, 40, 75, 80)	0.488297		8	0.486297			
> SATESTATE OF OUR SATESTATES	(10C, 5-16W, 5%) 879-RESISTOR	#C62380		(Randard Interior & Budy Mounted (H1, 23, 40, 75, 80)	0.488297		8	G-496297			
> Trivezont proce	- C [25CADETTION] TR30	EC62580		(Randard Interior & Body Mounted )-61, 28, 40, 75, 80)	15-80258		8	15-80058			
<ul> <li>(a) (PSB10F2) DICOE</li> <li>(a) (PSB10F2) DICOE</li> <li>(b) (PSB10F2) DICOE</li> </ul>	PEMTI TRH. BRANSISTOR	EC62380		(Standard Interior & Budy Mounted ) -41, 23, 40, 75, 80)	14,2580.77			14,258077			
> Strainer and a	- O TRANSITION THAT	#C62380		(Randerd Interior & Body Mounted )-45, 23, 40, 75, 80)	15-30108		2	13-80158			
> De Other > De Crystal, Filters, Reconators	- () [RECENSED 011	@C62300		(Randard Interior & Dody	15.96391		8	15042041			
<ul> <li>De Linear &amp; Mixed Circuits</li> <li>De Digital Circuits</li> </ul>	+ Extended Customics (										
<ul> <li>Can Samulates &amp; FETs</li> <li>Can Samulates &amp; FETs</li> </ul>	* N faciality	N falability									
Properties 13								10 7 10			
· [PUMT1] TR11 : TRANSISTO	it.										
Safety Raw Falure Rate:	14.238077										
Falurei Model Cuter	defeed @ cotalog 🔾 surr of failur	a modes Og	excertage of p	arant d.d %							
College 243     College 2											
	Tage Silon Buok (190 Pockas pap 57-30 Prockas (200 value)										
								v 89			

 Determination of failure rates using built-in handbooks SN 29500, IEC TR 62380, FIDES GI


IEC TR 62380, FIDES Guide, MIL-HDBK-217F, HDBK-217Plus, IEC61709, HDBK-217Plus, NPRD-2016 and EPRD-2014.

- Multiple prediction models to aggregate or distribute failure rates (e.g., over components, ports, using die area, etc.).
- Application of mission profiles and custom scaling for failure rates (e.g., for confidence levels, acceleration factors).
- Support for part libraries to manage failure rates/modes for fast and consistent application across projects.
- ✓ Transient and permanent failure mode modeling.
- ✓ Import and round-trip of BOM (bill of material) from CSV/Excel and IP Design (chip models).
- Import of BOM-categories from Ansys Sherlock.
- Consistent usage of failure rate and mode data in quantitative analyses (FTA, FMEDA , RBD).
- Available default libraries for failure modes according to IEC TR 62380, MIL-HDBK-338B, A.Birolini Reliability Engineering Handbook.
- Support for full-custom failure rate handbooks.

# **ENGINSOFT**

### Failure Mode and Effect Analysis (FMEA)


 Support for function, system design, and process FMEAs according to VDA/AIAG, SAE J1739, IEC 60812 and related standards.



- Model-based FMEA tables synchronizing with the structural elements and functions from design and process models.
- Management of measures and design controls.
- ✓ Failure net editor for end-to-end cause/effect chains across abstraction levels.
- Customizable risk parameters and Risk Matrices for assessment
- Consistent computation of Risk Priority Numbers (RPN) and Action Priorities (AP) along failure net.
- Customizable worksheets with user attributes including formulas and access to reliability data.
- Connection to requirements management and task management.
- ✓ MSR-FMEA import and update (e.g., from APIS IQ-FMEA, PLATO SCIO<sup>™</sup>).
- MSR-FMEA export.

## Fault Tree Analysis (FTA)

- Graphical editor for quantitative and qualitative FTA.
- Automatic layout and support to handle large fault trees by multiple diagrams.



- Creation of events and subtrees by drag & drop of model elements and failure modes from system design.
- ✓ Coherent and non-coherent fault trees.
- Support for different probability models (fixed, exponential distribution, monitored/repairable, Weibull, custom).
- Evaluation of minimal cut-sets (with adjustable cut set order) and path analysis.
- Multiple path analysis and coloring based on quantitative analysis (heatmap)
- Time-dependent calculation of unavailability, unreliability, conditional failure intensity of top and intermediate events (exact probabilities and Esary-Proschan Upper Bounds).
- Importance measures such as Birnbaum, Fussell-Vesely, criticality for primary events and cut sets.
- ✓ Support for time-at-risk models and computation of average/worst-case latency models according to ARP4761.
- Heatmap to identify critical paths and quantitative contributions of cut sets
- ✓ Integration with FMEDA for safety mechanisms and failure modes.
- Seamless navigation from cut-set events to elements of the system design.
- ✓ Import of fault trees from Isograph® FaultTree+ and CAFTA.
- ✓ Generation of auto paginated FTA report

# Ansys medini analyze

#### **Reliability Block Diagrams (RBD)**

 Graphical editor for RBDs with support for hierarchical modeling Automatic and semi-automatic layout of diagrams



- Creation of blocks by drag & drop of model elements and failure modes from system design
- Transfer gate support to link fault trees for component failure modeling and reuse
- Calculation of reliability, (un-)availability, and all other quantitative targets (same as for FTA)
- Support for transforming RBDs into fault trees

#### **Rich Traceability**

✓ Definition of traces between information elements of any type within medini analyze.

Definition of traces using


trace-matrix or by

- guick-trace functionality. Navigation via traces to
- related elements in other models.
- Visualization of traced elements at any diagram.
- ✓ Filters and hierarchies to support the usage even of large trace matrices.
- Impact analysis by graphical visualization of traces (customizable dependency viewer).

#### **Teamwork and Integrated Task** Management

✓ Project compare with two-way and three-way difference analysis.

for team collaboration.




- Integration with configuration management systems (TortoiseSVN, IBM® Rational® ClearCase, PTC Integrity, etc.).
- ✓ Management of model versions, support of team synchronization.
- ✓ Integration with issue tracking systems (e.g. Bugzilla, Trac, RTC, Redmine, Jira, Mantis, PTC Integrity, Microsoft® Outlook).
- Creation of tasks/comments for arbitrary model elements.
- Navigation from tasks to elements and vice versa.
- Context visualization for active tasks.
- Documentation of all decisions at the tasks.
- Scheduling, user assignment, email notification.



## **Reporting and** Customization

- Reporting functionality to generate PDF, Word, Excel or HTML documents for all project content.
- Default reports for HARA. safety concept, safety



- Customizable reporting framework to build corporate reports for safetyrelated work products.
- Profiling mechanism to add custom fields, references and queries to all models and analyses.
- Extensible model validation rules to check consistency across all project data.
- Scripting API with integrated JavaScript engine for adding automation features and building tool extensions.

Ansys medini analyze is a product of **Ansys** 

#### Licensing

- Attractive product tailoring
- Dongle and network fl oating licenses
- Trial licenses on request

#### System Requirements

- ✓ Supported platforms: Microsoft<sup>®</sup> Windows 8/10 (64-bit version)
- Required disc space: 1 GB
- Recommended memory size: 4GB

EnginSoft is a premier consulting firm in the field of Simulation Based Engineering Science (SBES) with a global presence. It was founded in 1984, but its founder and initial employees had been working in SBES since the mid '70s. Throughout its long history it has been at the forefront of technological innovation and remains a catalyst



for change in the way SBES and CAE technologies in general are applied to solve even the most complex industrial problems with a high degree of reliability.

Today, EnginSoft is comprised of groups of highly qualified engineers, with expertise in a variety of engineering simulation technologies including FEM Analysis and CFD, working in synergic companies across the globe. We are present in Italy, France, Germany, the UK, Turkey and the U.S.A. and have a close partnership with synergetic companies located in Greece, Spain, Israel, Portugal, Brazil, Japan and the U.S.A.

EnginSoft works across a broad range of industries that include the automotive, aerospace, defense, energy, civil engineering, consumer goods and biomechanics industries to help them get the most out of existing engineering simulation technologies.

#### FOR INFORMATION:

EnginSoft | Alessandro Mellone a.mellone@enginsoft.com Tel. 0461 979 340 www.enginsoft.com